

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.322	Patent No.		7,582,482
	Issue Date		09-01-2009
	Application No.		10/653,032
	Filing Date		08-28-2003
	First Named Inventor		Dasgupta
	Art Unit		1797
	Examiner Name		N. Turk
	Title	Continuous ion species removal device and method	
	Attorney Docket No.		067407-5116US

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

It is hereby requested that a Certificate of Correction be issued for the above-captioned United States Patent. This Certificate of Correction is being requested due to mistakes which appear in the printed patent.

These mistakes were incurred by fault of the U.S. Patent and Trademark Office, which mistakes are clearly disclosed in the records of the Office. Accordingly, no fee is required with regard to this request.

Specifically, the printed patent contains the following errors for which a Certificate of Correction is respectfully requested.

In (75) Inventors, change "Parnendu" to "Purnendu".

At Column 24, line 24, change the word "comprises" to "comprising".

Remarks

The above-noted corrections do not involve such changes in the patent as would constitute new matter or would require reexamination.

A completed Form PTO-1050 accompanies this request, with the above-noted

Application No. 10/653,032


Filing Date 08-28-2003

corrections printed thereon. Accordingly, a Certificate of Correction is believed proper and issuance thereof is respectfully requested.

Although no fee is believed to be due, the Commissioner is authorized to charge fees which may be required to Deposit Account No. 50-0310.

Please direct any calls in connection with this application to the undersigned at (415) 442-1174.

Respectfully submitted,

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT			
Firm or Individual name	David J. Brezner, Reg. No. 24,774 Morgan, Lewis & Bockius One Market, Spear Street Tower Telephone : 415 442 1174 Fax: 415 442 1001	Customer Number 67374	
Signature		Date	9/28/09

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,582,482

APPLICATION NO.: 10/653,032

ISSUE DATE : Sep. 1, 2009

INVENTOR(S) : Parnendu K. Dasgupta, Petr Kuban, Jordan M. Berg

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(75) Inventors: Purnendu K. Dasgupta, Lubbock, TX (US); Petr Kuban, Lubbock, TX (US); Jordan M. Berg, Lubbock, TX (US)

Column 24, Lines 22 - 26:

3. The method of claim 1, in which said sample stream comprises at least a second analyte ion species, said method further comprising separating said first and second analyte ion species in said sample steam prior to flowing said sample stream to the treatment channel inlet.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Morgan, Lewis & Bockius, LLP (David J. Brezner)
One Market, Spear Street Tower
San Francisco, CA 94105

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.